

Ruj. Kami : LPIPM:B/UBB/14/2/1/113  
Tarikh : 18-09-2021

**Pengarah Urusan**

**HUME CEMBOARD INDUSTRIES SDN BHD ( 579898W )**  
LOT 127220, KAWASAN PERUSAHAAN KANTHAN  
CHEMOR, PERAK  
31200  
PERAK

Tuan,

**PERAKUAN PEMATUHAN STANDARD BAHAN BINAAN CIDB**

Dengan hormatnya perkara di atas adalah dirujuk

2. Bersama-sama ini disertakan Perakuan Pematuhan Standard Bahan Binaan CIDB bernombor **A005397** untuk simpanan tuan. Ingin diperingatkan bahawa Perakuan ini adalah sah untuk tempoh yang tertentu dan ianya hendaklah diperbaharui dalam tempoh 30 hari sebelum tarikh tamat sahlakunya.

Sekian, terima kasih.

**"MEMBINA KEJAYAAN ANDA"**

**CIDB NEGERI SELANGOR**

**Lembaga Pembangunan Industri Pembinaan Malaysia**

Perhatian :-

MEGAT MAHDAWI BIN MESLAN  
CIDB NEGERI SELANGOR

## **PERAKUAN PEMATUHAN STANDARD (BAHAN BINAAN)**

Adalah dengan ini Pengilang/Pengeluar yang dinyatakan di bawah ini telah mengeluarkan bahan binaan yang diperakui oleh Lembaga mengikut Bahagian VIIA Akta Lembaga Pembangunan Industri Pembinaan Malaysia (Pindaan 2011). Perakuan ini adalah tertakluk kepada syarat-syarat yang telah ditetapkan. Perakuan ini mengesahkan bahawa bahan atau produk binaan yang dinyatakan di bawah telah diperakukan

No. Pendaftaran : 1190903SL0387  
Nama Pengilang / Pengeluar : HUME CEMBOARD INDUSTRIES SDN BHD  
Alamat Kilang Berdaftar : 12, JALAN TANDANG  
46700 PETALING JAYA  
SELANGOR

**Kategori dan Jenis produk bahan binaan :**  
(Rujuk Lampiran A untuk butiran terperinci)

**FIBRE CEMENT FLAT SHEET**

- Non Asbestos Fibre Cement Flat Sheets

Tarikh Mula Berkuatkuasa : 18-09-2021  
Tarikh Tamat Tempoh Perakuan : 17-09-2022

Perakuan ini hendaklah diperbaharui selewat-lewatnya 30 hari sebelum tarikh tamat tempoh perakuan

Nota: Perakuan dikeluarkan setelah Lembaga menjalankan pemeriksaan dan pengesahan ke atas kilang dan produk-produk yang terkandung di dalam Pensijilan Produk (Product Certification) yang dikeluarkan oleh Badan Pensijilan yang diiktiraf. Pihak pengeluar/pengilang adalah bertanggungjawab untuk memastikan Pensijilan Produk (Product Certificate) sentiasa dalam tempoh sahlaku.



**SUHAIMI MANSOR**  
**PENGARAH**  
**CIDB NEGERI SELANGOR**  
b.p Ketua Eksekutif



No. Pendaftaran : 1190903SL0387  
 No. Perakuan : A005397  
 No. Pengilang / Pengeluar : HUME CEMBOARD INDUSTRIES SDN BHD

Kategori	Jenis / Saiz	Jenama	Standard
FIBRE CEMENT FLAT SHEET	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY B, CLASS 2, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1220 MM X 1220 MM, THICKNESS : 3.2 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY B, CLASS 2, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 2440 MM X 1220 MM, THICKNESS : 3.2 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 2440 MM X 1220 MM, THICKNESS : 4.5 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY B, CLASS 2, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1195 MM X 595 MM, THICKNESS : 3.2 MM	PRIMA	MS 1296:2010

Kategori	Jenis / Saiz	Jenama	Standard
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY B, CLASS 2, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1195 MM X 595 MM, THICKNESS : 3.2 MM PAINTED	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY B, CLASS 2, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 603 MM X 603 MM, THICKNESS : 3.2 MM PAINTED	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY B, CLASS 2, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1213 MM X 603 MM, THICKNESS : 3.2 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY B, CLASS 2, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1213 MM X 603 MM, THICKNESS : 3.2 MM PAINTED	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY B, CLASS 2, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1220 MM X 610 MM, THICKNESS : 3.2 MM	PRIMA	MS 1296:2010

Kategori	Jenis / Saiz	Jenama	Standard
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAVent; RATING : CATEGORY B, CLASS 2, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1220 MM X 610 MM, THICKNESS : 3.2 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAVent; RATING : CATEGORY B, CLASS 2, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1220 MM X 1220 MM, THICKNESS : 3.2 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1195 MM X 595 MM, THICKNESS : 4.5 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1195 MM X 595 MM, THICKNESS : 4.5 MM PAINTED	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 603 MM X 603 MM, THICKNESS : 4.5 MM	PRIMA	MS 1296:2010


Kategori	Jenis / Saiz	Jenama	Standard
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAflex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 603 MM X 603 MM, THICKNESS : 4.5 MM PAINTED	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAflex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1213 MM X 603 MM, THICKNESS : 4.5 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAflex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1213 MM X 603 MM, THICKNESS : 4.5 MM PAINTED	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAflex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1220 MM X 610 MM, THICKNESS : 4.5 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAflex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 2270 MM X 610 MM, THICKNESS : 4.5 MM	PRIMA	MS 1296:2010

Kategori	Jenis / Saiz	Jenama	Standard
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAflex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1220 MM X 1220 MM, THICKNESS : 4.5 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAVent; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 610 MM X 610 MM, THICKNESS : 4.5 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAVent; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1220 MM X 610 MM, THICKNESS : 4.5 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAVent; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1220 MM X 1220 MM, THICKNESS : 4.5 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAflex; RATING : CATEGORY B, CLASS 2, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1210 MM X 630 MM, THICKNESS : 3.5 MM	PRIMA	MS 1296:2010

Kategori	Jenis / Saiz	Jenama	Standard
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAflex; RATING : CATEGORY B, CLASS 2, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 2440 MM X 1220 MM, THICKNESS : 3.5 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAflex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1195 MM X 595 MM, THICKNESS : 6.0MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAflex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1213 MM X 603 MM, THICKNESS : 6.0MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAflex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1213 MM X 603 MM, THICKNESS : 6.0MM PAINTED	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAflex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1220 MM X 610 MM, THICKNESS : 6.0 MM	PRIMA	MS 1296:2010



Kategori	Jenis / Saiz	Jenama	Standard
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 1220 MM X 1220 MM, THICKNESS : 6.0 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMAFlex; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 2440 MM X 1220 MM, THICKNESS : 6.0 MM	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMALattice; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 2400 MM X 1200 MM, THICKNESS : 6.0 MM DIAMOND	PRIMA	MS 1296:2010
	Non Asbestos Fibre Cement Flat Sheets MODEL : PRIMALattice; RATING : CATEGORY A, CLASS 1, LEVEL I; TYPE : NON TEXTURED SHEETS; SIZE : LENGTH AND WIDTH : 2440 MM X 1200 MM, THICKNESS : 6.0 MM SQUARE	PRIMA	MS 1296:2010

  
**SUHAIMI BIN MANSOR**  
 Pengarah  
 Lembaga Pembangunan Industri Pem.  
 Malaysia Negeri Selangor  
 (CIDB Negeri Selangor)